

337.07 OBSCURED LIGHTS ON VEHICLES IN COMBINATION.

337.07 OBSCURED LIGHTS ON VEHICLES IN COMBINATION.

Document type	section
Identifier	337.07
Citation	§ 337.07
Ordinances detected	S, 116-84
Dates detected	September 6, 1941, April 1, 1966
Original source	American Legal Publishing
Content hash	121c47b5127333d8cf5aa6e1cb464236708dcc09b0d2095c2c6872fd1a502d09

Codified Ordinances of Sheffield Lake, OH

CODIFIED ORDINANCES OF THE CITY OF SHEFFIELD LAKE, OHIO

CERTIFICATION

ROSTER OF OFFICIALS

ADOPTING ORDINANCE NO. 116-84

COMPARATIVE SECTION TABLE

TABLES OF SPECIAL ORDINANCES OF SHEFFIELD LAKE

CHARTER

PART ONE - ADMINISTRATIVE CODE

PART THREE - TRAFFIC CODE

TITLE ONE - Administration

TITLE THREE - Streets and Traffic Control Devices

TITLE FIVE - Vehicles

CHAPTER 331 Operation Generally

CHAPTER 333 OVI; Willful Misconduct; Speed

CHAPTER 335 Licensing; Accidents

CHAPTER 337 Safety and Equipment

337.01 DRIVING UNSAFE VEHICLES.

337.02 LIGHTED LIGHTS; MEASUREMENT OF DISTANCES AND HEIGHTS.

337.03 HEADLIGHTS ON MOTOR VEHICLES AND MOTORCYCLES.

337.04 TAIL LIGHT; ILLUMINATION OF REAR LICENSE PLATE.

337.05 REAR RED REFLECTORS.

337.06 SAFETY LIGHTING ON COMMERCIAL VEHICLES.

337.07 OBSCURED LIGHTS ON VEHICLES IN COMBINATION.

337.08 RED LIGHT OR RED FLAG ON EXTENDED LOADS.

337.09 LIGHTS ON PARKED OR STOPPED VEHICLES.

337.10 LIGHTS, EMBLEMS AND REFLECTORS ON SLOW-MOVING VEHICLES, FARM MACHINERY, AGRICULTURAL TRACTORS, AND ANIMAL-DRAWN VEHICLES.

337.11 SPOTLIGHT AND AUXILIARY LIGHTS.

337.12 COWL, FENDER AND BACK-UP LIGHTS.

337.13 DISPLAY OF LIGHTED LIGHTS.

337.14 USE OF HEADLIGHT BEAMS.

337.15 LIGHTS OF LESS INTENSITY ON SLOW-MOVING VEHICLES.

337.16 NUMBER OF LIGHTS; LIMITATIONS ON FLASHING, OSCILLATING OR ROTATING LIGHTS.

337.17 FOCUS AND AIM OF HEADLIGHTS.

337.18 MOTOR VEHICLE AND MOTORCYCLE BRAKES.

337.19 HORN, SIREN AND THEFT ALARM SIGNAL.

337.20 MUFFLER; MUFFLER CUTOUT; EXCESSIVE SMOKE, GAS OR NOISE.

337.21 REAR-VIEW MIRROR; CLEAR VIEW TO FRONT, BOTH SIDES AND REAR.

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

337.23 LIMITED LOAD EXTENSION ON LEFT SIDE OF PASSENGER VEHICLE.

337.24 MOTOR VEHICLE STOP LIGHTS.

337.25 AIR CLEANER REQUIRED.

337.26 CHILD RESTRAINT SYSTEM USAGE.

337.27 VEHICLES TRANSPORTING PRESCHOOL CHILDREN.

337.28 DRIVERS AND PASSENGERS REQUIRED TO WEAR SEAT BELTS.

337.29 USE OF SUNSCREENING, NONTRANSPARENT AND REFLECTORIZED MATERIALS.

337.30 BUMPER HEIGHTS.

337.31 DIRECTIONAL SIGNALS REQUIRED.

337.32 LIGHTS AND SIGN ON TRANSPORTATION FOR PRESCHOOL CHILDREN.

CHAPTER 339 Commercial and Heavy Vehicles

CHAPTER 341 Commercial Drivers

CHAPTER 343 Transportation of Hazardous Wastes

TITLE SEVEN - Parking

TITLE NINE - Pedestrians, Bicycles and Motorcycles

PART FIVE - GENERAL OFFENSES CODE

PART SEVEN - BUSINESS REGULATION CODE

PART NINE - STREETS, UTILITIES AND PUBLIC SERVICES CODE

PART ELEVEN - PLANNING AND ZONING CODE

PART THIRTEEN - BUILDING CODE

PART FIFTEEN - FIRE PREVENTION CODE

OH

Sheffield Lake

Codified Ordinances of Sheffield Lake, OH

337.08 RED LIGHT OR RED FLAG ON EXTENDED LOADS.

CHAPTER 337 Safety and Equipment

337.02 LIGHTED LIGHTS; MEASUREMENT OF DISTANCES AND HEIGHTS.

(a) Every vehicle, other than a motorized bicycle, operated upon a street or highway shall display lighted lights and illuminating devices as required by this chapter during all of the following times:

(1) The time from sunset to sunrise;

(2) At any other time when, due to insufficient natural light or unfavorable atmospheric conditions, persons, vehicles, and substantial objects on the street or highway are not discernible at a distance of one thousand feet ahead;

(3) At any time when the windshield wipers of the vehicle are in use because of precipitation on the windshield.

Every motorized bicycle shall display at such times lighted lights meeting the rules adopted by the Ohio Director of Public Safety under Ohio R.C. 4511.521. No motor vehicle, during any time specified in this section, shall be operated upon a street or highway using only parking lights as illumination.

(b) Whenever in this chapter a requirement is declared as to the distance from which certain lights and devices shall render objects visible, or within which such lights or devices shall be visible, such distance shall be measured upon a straight level unlighted street under normal atmospheric conditions unless a different condition is expressly stated.

(c) Whenever in this chapter a requirement is declared as to the mounted height of lights or devices, it shall mean from the center of such light or device to the level ground upon which the vehicle stands.

(d) Notwithstanding any provision of law to the contrary, no law enforcement officer shall cause the operator of a vehicle being operated upon a street or highway to stop the vehicle solely because the officer observes that a violation of subsection (a)(3) of this section has been or is being committed or for the sole purpose of issuing a ticket, citation or summons for a violation of that subsection, or causing the arrest of or commencing a prosecution of a person for a violation of

that subsection.

(e) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.03)

337.03 HEADLIGHTS ON MOTOR VEHICLES AND MOTORCYCLES.

(a) Every motor vehicle, other than a motorcycle, shall be equipped with at least two headlights with at least one near each side of the front of the motor vehicle.

(b) Every motorcycle shall be equipped with at least one and not more than two headlights.

(c) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.04)

337.04 TAIL LIGHT; ILLUMINATION OF REAR LICENSE PLATE.

(a) Every motor vehicle, trailer, semitrailer, pole trailer or vehicle which is being drawn at the end of a train of vehicles shall be equipped with at least one tail light mounted on the rear which, when lighted, shall emit a red light visible from a distance of 500 feet to the rear, provided that in the case of a train of vehicles only the tail light on the rear-most vehicle need be visible from the distance specified.

(b) Either a tail light or a separate light shall be so constructed and placed as to illuminate with a white light the rear registration plate, when such registration plate is required, and render it legible from a distance of fifty feet to the rear. Any tail light, together with any separate light for illuminating the rear registration plate, shall be so wired as to be lighted whenever the headlights or auxiliary driving lights are lighted, except where separate lighting systems are provided for trailers for the purpose of illuminating such registration plate.

(c) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.05)

337.05 REAR RED REFLECTORS.

(a) Every new motor vehicle sold after September 6, 1941, and operated on a street, other than vehicles of the type mentioned in Section 337.06 or a commercial tractor to which a trailer or semitrailer is attached, shall carry at the rear, either as a part of the tail lights or separately, two red reflectors of such size and characteristics and so maintained as to be visible at night from all distances within 300 feet to fifty feet from such vehicle.

(b) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.06)

337.06 SAFETY LIGHTING ON COMMERCIAL VEHICLES.

(a) Buses, trucks, commercial tractors, trailers, semitrailers and pole trailers, when operated upon any street, shall be equipped with clearance lights, marker lights, reflectors and stop lights as required by State regulations. Such equipment shall be lighted at all times mentioned in Section 337.02 except that clearance lights and side marker lights need not be lighted on a vehicle operated where there is sufficient light to reveal any person or substantial object on the street at a distance of 500 feet.

Such equipment shall be in addition to all other lights specifically required by Section 337.02 to Section 337.15, inclusive. Vehicles operated under the jurisdiction of the Ohio Public Utilities Commission are not subject to this section.

(b) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.07)

337.07 OBSCURED LIGHTS ON VEHICLES IN COMBINATION.

(a) Whenever motor and other vehicles are operated in combination during the time that lights are required, any light, except tail lights, which by reason of its location on a vehicle of the

combination would be obscured by another vehicle of the combination need not be lighted, but this section does not affect the requirement that lighted clearance lights be displayed on the front of the foremost vehicle required to have clearance lights or that all lights required on the rear of the rearmost vehicle of any combination shall be lighted.

(b) Whoever violates this section is guilty of a minor misdemeanor on a first offense; on a second offense within one year after the first offense, the person is guilty of a misdemeanor of the fourth degree; on each subsequent offense within one year after the first offense, the person is guilty of a misdemeanor of the third degree.

(ORC 4513.08)

337.08 RED LIGHT OR RED FLAG ON EXTENDED LOADS.

(a) Whenever the load upon any vehicle extends to the rear four feet or more beyond the bed or body of such vehicle, there shall be displayed at the extreme rear end of the load, at the times specified in Section 337.02, a red light or lantern plainly visible from a distance of at least 500 feet to the side and rear. The red light or lantern required by this section is in addition to the red rear light required upon every vehicle. At any other time there shall be displayed at the extreme rear end of such load a red flag or cloth not less than sixteen inches square.

(b) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.09)

337.09 LIGHTS ON PARKED OR STOPPED VEHICLES.

(a) Except in case of an emergency, whenever a vehicle is parked or stopped upon a roadway open to traffic or shoulder adjacent thereto, whether attended or unattended during the times mentioned in Section 337.02, such vehicle shall be equipped with one or more lights which shall exhibit a white or amber light on the roadway side visible from a distance of 500 feet to the front of such vehicle, and a red light visible from a distance of 500 feet to the rear. No lights need be displayed upon any such vehicle when it is stopped or parked where there is sufficient light to reveal any person or substantial object within a distance of 500 feet upon such street. Any lighted headlights upon a parked vehicle shall be depressed or dimmed.

(ORC 4513.10)

(b) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.99)

337.10 LIGHTS , EMBLEMS AND REFLECTORS ON SLOW-MOVING VEHICLES, FARM MACHINERY, AGRICULTURAL TRACTORS, AND ANIMAL-DRAWN VEHICLES.

(a) Definitions. As used in this section:

(1) BOAT TRAILER. Means any vehicle designed and used exclusively to transport a boat between a place of storage and a marina, or in and around a marina, when drawn or towed on a street or highway for a distance of no more than ten miles and at a speed of twenty-five miles per hour or less.

(2) SLOW-MOVING VEHICLE and SMV. Mean a boat trailer, unit of farm machinery, road construction machinery, or other machinery designed by the manufacturer to operate at a speed of twenty-five miles per hour or less. The term does not include a bicycle, motorized bicycle, electric bicycle, or animal-drawn vehicle. (ORC 4513.11)

(b) Generally.

(1) At the times specified in Ohio R.C. 4513.03, no person shall operate either of the following vehicles unless it is equipped with and displays the lamps described in subsection (b)(2) of this section.

A. A vehicle not specifically required to be equipped with lamps or other lighting devices by

Ohio R.C. 4513.03 to 4513.10;

B. A vehicle referred to in Ohio R.C. 4513.02(G).

(2) Vehicles described in subsection (b)(1) of this section shall be equipped with both of the following:

A. At least one lamp displaying a white light visible from a distance of not less than 1,000 feet to the front of the vehicle;

B. Two lamps displaying red light visible from a distance of not less than 1,000 feet to the rear of the vehicle, or as an alternative, one lamp displaying a red light visible from a distance of not less than 1,000 feet to the rear and two red reflectors visible from all distances of 600 feet to 100 feet to the rear when illuminated by the lawful lower beams of headlamps.

(3) A. At the times specified in Ohio R.C. 4513.03, no person shall operate a multi-wheel agricultural tractor model year 2001 or earlier on a street or highway unless it is equipped with and displays reflectors and illuminated amber lamps so that the extreme left and right projections of the tractor are indicated by all of the following:

1. Flashing lamps displaying amber light, visible to the front and the rear. The lamps need not flash simultaneously and need not flash in conjunction with any directional signals of the tractor;

2. Amber reflectors, all visible to the front;

3. Red reflectors, all visible to the rear.

B. Rules adopted by the Ohio Director of Public Safety under Ohio R.C. 4513.111 governing the lamps and reflectors described in subsection (b)(3)A. of this section and their placement correlate with and, as far as possible, conform with paragraphs 4.1.4.1, 4.1.7.1 and 4.1.7.2 respectively of the American Society of Agricultural Engineers Standard ANSI/ASAE S279.10 OCT98, Lighting and Marking of Agricultural Equipment on Highways.

(4) At the times specified in Ohio R.C. 4513.03, no person shall operate a unit of farm machinery model year 2002 or later on a street or highway unless it is equipped with and displays markings and illuminated lamps that meet or exceed the lighting, illumination and marking standards and specifications that are applicable to that type of farm machinery for the unit's model year specified in the American Society of Agricultural Engineers Standard ANSI/ASAE S279.10 OCT 98, lighting and marking of agricultural equipment on highways.

(5) Any unit of farm machinery designed by its manufacturer to operate at a speed of twenty-five miles per hour or greater or any SMV may be equipped with and display a red flashing light that is visible from a distance of not less than 1,000 feet to the rear at all times specified in Ohio R.C. 4513.03. When a double-faced light is used, it shall display amber light to the front and red light to the rear.

(6) Lights and reflectors required under subsections (b)(3) and (b)(4) of this section and authorized under subsection (b)(5) of this section are in addition to other lights required or permitted by this subsection (b) or Ohio R.C. 4513.17.

(7) The Ohio Director of Public Safety shall adopt rules in accordance with Ohio R.C. Chapter 119 Code that establish standards and specifications for lamps and reflectors required or authorized by this section. Lamps and reflectors required or authorized by this section shall meet those standards and specifications.

(8) This subsection (b) does not apply to a bicycle, motorized bicycle, electric bicycle, or animal-drawn vehicle.

(9) Whoever violates this subsection (b) is guilty of a minor misdemeanor.

(ORC 4513.111)

(c) Slow-Moving Vehicles.

(1) Except as otherwise provided in this section, no person shall operate an SMV on a street or highway as follows:

A. At a speed exceeding twenty-five miles per hour;

B. Without displaying the triangular SMV emblem mounted in accordance with subsection (c)(2) of this section.

(2) The SMV emblem shall be mounted so as to be visible from a distance of not less than 500 feet to the rear. In accordance with Ohio R.C. Chapter 119, the Ohio Director of Public Safety shall adopt standards and specifications for the design and position of mounting the SMV emblem. The standards and specifications for the SMV emblem correlate with and, so far as possible, conform with those approved by the American Society of Agricultural Engineers.

(3) A person may operate an SMV on a street or highway without displaying the triangular SMV emblem when any of the following apply:

A. The SMV is being used in actual construction and maintenance work in an area guarded by a flagperson, or where flares are used;

B. The SMV is operating or traveling within the limits of a construction area designated by the Ohio Director of Transportation, a city engineer, or the county engineer of the several counties, when such construction area is marked in accordance with requirements of the Ohio Director of Transportation and the Manual of Uniform Traffic Control Devices, as set forth in Ohio R.C. 4511.09.

(4) No person shall display an SMV emblem on any of the following:

A. Any vehicle not required to use the SMV emblem by this subsection (c) or Ohio R.C. 4513.113 or 4513.114;

B. An SMV being transported upon any other vehicle;

C. Any stationary object on the highway.

(5) No person shall sell, lease, rent or operate an SMV, except a unit designed to be completely mounted on a primary power unit that is manufactured or assembled on or after April 1, 1966, unless it is equipped with an SMV emblem mounting device.

(6) Whoever violates subsection (c) is guilty of a minor misdemeanor.

(ORC 4513.112)

(d) Farm Machinery and Agricultural Tractors.

(1) No person shall sell, lease, rent or operate on a street or highway any unit of farm machinery that is designed by its manufacturer to operate at a speed greater than twenty-five miles per hour unless the unit displays both of the following:

A. The SMV emblem mounted in accordance with Ohio R.C. 4513.112(B);

B. A speed identification symbol that does both of the following:

1. Meets the specifications contained in the American Society of Agricultural Engineers Standard ANSI/ASAE S584 JAN2005, Agricultural Equipment: Speed Identification Symbol (SIS);

2. Indicates the maximum speed in miles per hour at which the unit of farm machinery is designed by its manufacturer to operate;

(2) No person operating a tractor on a street or highway that is designed by its manufacturer to operate at a speed greater than twenty-five miles per hour and that is towing, pulling or otherwise drawing a unit of farm machinery while operating at a speed greater than twenty-five miles per hour shall fail to display both of the following on the unit of farm machinery;

A. The SMV emblem;

B. The speed identification symbol that matches the speed identification symbol required to be displayed on the agricultural tractor;

(3) No person shall operate an agricultural tractor that is designed by its manufacturer to operate at a speed greater than twenty-five miles per hour unless the person possesses documentation published or provided by the manufacturer indicating the maximum speed in miles per hour at which the manufacturer designed the agricultural tractor to operate;

(4) Whoever violates this subsection (d) is guilty of a minor misdemeanor.

(ORC 4513.113)

(e) Animal-Drawn Vehicles.

(1) Except as otherwise provided in subsection (e)(4) of this section, no person shall operate an animal-drawn vehicle on a street or highway unless it is equipped with and displays, at the times specified in Ohio R.C. 4513.03, both of the following:

A. At least one lamp displaying a white light visible from a distance of not less than 1,000 feet to the front of the animal-drawn vehicle;

B. Two lamps displaying red light visible from a distance of not less than 1,000 feet to the rear of the animal-drawn vehicle, or as an alternative, one lamp displaying a red light visible from a distance of not less than 1,000 feet to the rear and two red reflectors visible from all distances of 600 feet to one hundred feet to the rear when illuminated by the lawful lower beams of headlamps.

(2) Except as otherwise provided in subsection (e)(4) of this section, no person shall operate an animal-drawn vehicle on a street or highway unless it is equipped with and displays, at all times, all of the following:

A. One yellow flashing lamp displaying yellow light that is visible from a distance of not less than 1,000 feet and that is mounted in either of the following positions:

1. On the top most portion of the rear of the animal-drawn vehicle;
2. On the top of the animal-drawn vehicle;

B. At least one of the following:

1. An SMV emblem mounted in accordance with Ohio R.C. 4513.112(B);
2. Micro-prism reflective tape that is visible from a distance of not less than 500 feet to the rear when illuminated by the lawful lower beams of headlamps;
3. Both an SMV emblem and micro-prism reflective tape, as specified in this division.

C. Lamps and micro-prism reflective tape required by this section shall meet standards and specifications adopted by the Ohio Director of Public Safety under Ohio R.C. 4513.114.

(3) The Ohio Director of Public Safety, in accordance with Ohio R.C. Chapter 119, shall adopt rules establishing standards and specifications for the position and mounting of the lamps and micro-prism reflective tape required by Ohio R.C. 4513.114. The rules permit the micro-prism reflective tape to be red, amber, white, or silver in color.

(4) A. Subsections (e)(1) and (e)(2) of this section do not apply to the operator of animal-drawn agricultural equipment who is not transporting any livestock or a person other than the operator.

B. No operator described in subsection (e)(4)A. of this section shall operate animal-drawn agricultural equipment unless it is equipped with and displays, at all times, the SMV emblem mounted in accordance with Ohio R.C. 4513.112(B).

C. As used in subsection (e)(4) of this section, "animal-drawn agricultural equipment" means equipment drawn by the muscular power of an animal that is used solely for agricultural purposes. "Animal-drawn agricultural equipment" includes any of the following:

1. A plow;
2. A manure spreader;
3. A thresher.

(5) Whoever violates this subsection (e) is guilty of a minor misdemeanor.

(ORC 4513.114)

(f) Strict Liability Offenses. The offenses established under this section are strict liability offenses, and Ohio R.C. 2901.20 does not apply. The designation of these offenses as strict liability offenses shall not be construed to imply that any other offense, for which there is no specified degree of culpability, is not a strict liability offense.

(ORC 4513.115)

Disclaimer: This Code of Ordinances and/or any other documents that appear on this site may not reflect the most current legislation adopted by the Municipality. American Legal Publishing provides these documents for informational purposes only. These documents should not be relied upon as the definitive authority for local legislation. Additionally, the formatting and pagination of the posted documents varies from the formatting and pagination of the official copy. The official printed copy of a Code of Ordinances should be consulted prior to any action being taken.

For further information regarding the official version of any of this Code of Ordinances or other documents posted on this site, please contact the Municipality directly or contact American Legal Publishing toll-free at 800-445-5588.

Hosted by: American Legal Publishing

[Back to Code Library](#)

[Previous Doc](#)

[Next Doc](#)

0 items available

Detected legislative history

- Ordinances of Sheffield Lake, OH
 - ORDINANCES OF THE CITY OF SHEFFIELD LAKE, OHIO
 - ORDINANCE NO. 116-84
 - ORDINANCES OF SHEFFIELD LAKE
 - adopted by the Ohio Director of Public Safety under Ohio R
 - ordance with Ohio R
 - ordance with subsection (c)(2) of this section
 - ordance with requirements of the Ohio Director of Transportation and the Manual of Uniform Traffic Control Devices, as set forth in Ohio R
 - Ordinances and/or any other documents that appear on this site may not reflect the most current legislation adopted by the Municipality
 - Ordinances should be consulted prior to any action being taken
 - Ordinances or other documents posted on this site, please contact the Municipality directly or contact American Legal Publishing toll-free at 800-445-5588
-

Imported automatically by MunicipalWiki. The original publisher remains the authoritative source pending legal normalization and verification.

Revision #1

Created 2026-07-18 21:35:15 UTC by MunicipalWiki Indexer

Updated 2026-07-18 21:35:15 UTC by MunicipalWiki Indexer