

337.15 LIGHTS OF LESS INTENSITY ON SLOW- MOVING VEHICLES.

337.15 LIGHTS OF LESS INTENSITY ON SLOW- MOVING VEHICLES.

Document type	section
Identifier	337.15
Citation	§ 337.15
Ordinances detected	S, 116-84, ER, INARY
Dates detected	April 1, 1966, January 1, 1942, January 1, 2001, January 1, 2008
Original source	American Legal Publishing
Content hash	e0938193a5c8a828712632a3b14ef08c7d584799e7a389cf5ff9aa07b92837a5

Sheffield Lake Overview

Codified Ordinances of Sheffield Lake, OH

CODIFIED ORDINANCES OF THE CITY OF SHEFFIELD LAKE, OHIO

CERTIFICATION

ROSTER OF OFFICIALS

ADOPTING ORDINANCE NO. 116-84

COMPARATIVE SECTION TABLE

TABLES OF SPECIAL ORDINANCES OF SHEFFIELD LAKE

CHARTER

PART ONE - ADMINISTRATIVE CODE

PART THREE - TRAFFIC CODE

TITLE ONE - Administration

TITLE THREE - Streets and Traffic Control Devices

TITLE FIVE - Vehicles

CHAPTER 331 Operation Generally

CHAPTER 333 OVI; Willful Misconduct; Speed

CHAPTER 335 Licensing; Accidents

CHAPTER 337 Safety and Equipment

337.01 DRIVING UNSAFE VEHICLES.

337.02 LIGHTED LIGHTS; MEASUREMENT OF DISTANCES AND HEIGHTS.

337.03 HEADLIGHTS ON MOTOR VEHICLES AND MOTORCYCLES.

337.04 TAIL LIGHT; ILLUMINATION OF REAR LICENSE PLATE.

337.05 REAR RED REFLECTORS.

337.06 SAFETY LIGHTING ON COMMERCIAL VEHICLES.

337.07 OBSCURED LIGHTS ON VEHICLES IN COMBINATION.

337.08 RED LIGHT OR RED FLAG ON EXTENDED LOADS.

337.09 LIGHTS ON PARKED OR STOPPED VEHICLES.

337.10 LIGHTS, EMBLEMS AND REFLECTORS ON SLOW-MOVING VEHICLES, FARM MACHINERY, AGRICULTURAL TRACTORS, AND ANIMAL-DRAWN VEHICLES.

337.11 SPOTLIGHT AND AUXILIARY LIGHTS.

337.12 COWL, FENDER AND BACK-UP LIGHTS.

337.13 DISPLAY OF LIGHTED LIGHTS.

337.14 USE OF HEADLIGHT BEAMS.

337.15 LIGHTS OF LESS INTENSITY ON SLOW-MOVING VEHICLES.

337.16 NUMBER OF LIGHTS; LIMITATIONS ON FLASHING, OSCILLATING OR ROTATING LIGHTS.

337.17 FOCUS AND AIM OF HEADLIGHTS.

337.18 MOTOR VEHICLE AND MOTORCYCLE BRAKES.

337.19 HORN, SIREN AND THEFT ALARM SIGNAL.

337.20 MUFFLER; MUFFLER CUTOUT; EXCESSIVE SMOKE, GAS OR NOISE.

337.21 REAR-VIEW MIRROR; CLEAR VIEW TO FRONT, BOTH SIDES AND REAR.

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

337.23 LIMITED LOAD EXTENSION ON LEFT SIDE OF PASSENGER VEHICLE.

337.24 MOTOR VEHICLE STOP LIGHTS.

337.25 AIR CLEANER REQUIRED.

337.26 CHILD RESTRAINT SYSTEM USAGE.

337.27 VEHICLES TRANSPORTING PRESCHOOL CHILDREN.

337.28 DRIVERS AND PASSENGERS REQUIRED TO WEAR SEAT BELTS.

337.29 USE OF SUNSCREENING, NONTRANSPARENT AND REFLECTORIZED MATERIALS.

337.30 BUMPER HEIGHTS.

337.31 DIRECTIONAL SIGNALS REQUIRED.

337.32 LIGHTS AND SIGN ON TRANSPORTATION FOR PRESCHOOL CHILDREN.

CHAPTER 339 Commercial and Heavy Vehicles

CHAPTER 341 Commercial Drivers

CHAPTER 343 Transportation of Hazardous Wastes

TITLE SEVEN - Parking

TITLE NINE - Pedestrians, Bicycles and Motorcycles

PART FIVE - GENERAL OFFENSES CODE

PART SEVEN - BUSINESS REGULATION CODE

PART NINE - STREETS, UTILITIES AND PUBLIC SERVICES CODE

PART ELEVEN - PLANNING AND ZONING CODE

PART THIRTEEN - BUILDING CODE

PART FIFTEEN - FIRE PREVENTION CODE

OH

Sheffield Lake

Codified Ordinances of Sheffield Lake, OH

337.16 NUMBER OF LIGHTS; LIMITATIONS ON FLASHING, OSCILLATING OR ROTATING LIGHTS.

CHAPTER 337 Safety and Equipment

337.10 LIGHTS , EMBLEMS AND REFLECTORS ON SLOW-MOVING VEHICLES, FARM MACHINERY, AGRICULTURAL TRACTORS, AND ANIMAL-DRAWN VEHICLES.

(a) Definitions. As used in this section:

(1) BOAT TRAILER. Means any vehicle designed and used exclusively to transport a boat between a place of storage and a marina, or in and around a marina, when drawn or towed on a street or highway for a distance of no more than ten miles and at a speed of twenty-five miles per hour or less.

(2) SLOW-MOVING VEHICLE and SMV. Mean a boat trailer, unit of farm machinery, road construction machinery, or other machinery designed by the manufacturer to operate at a speed of twenty-five miles per hour or less. The term does not include a bicycle, motorized bicycle, electric bicycle, or animal-drawn vehicle. (ORC 4513.11)

(b) Generally.

(1) At the times specified in Ohio R.C. 4513.03, no person shall operate either of the following vehicles unless it is equipped with and displays the lamps described in subsection (b)(2) of this section.

A. A vehicle not specifically required to be equipped with lamps or other lighting devices by Ohio R.C. 4513.03 to 4513.10;

B. A vehicle referred to in Ohio R.C. 4513.02(G).

(2) Vehicles described in subsection (b)(1) of this section shall be equipped with both of the following:

A. At least one lamp displaying a white light visible from a distance of not less than 1,000 feet to the front of the vehicle;

B. Two lamps displaying red light visible from a distance of not less than 1,000 feet to the rear of the vehicle, or as an alternative, one lamp displaying a red light visible from a distance of not less than 1,000 feet to the rear and two red reflectors visible from all distances of 600 feet to

100 feet to the rear when illuminated by the lawful lower beams of headlamps.

(3) A. At the times specified in Ohio R.C. 4513.03, no person shall operate a multi-wheel agricultural tractor model year 2001 or earlier on a street or highway unless it is equipped with and displays reflectors and illuminated amber lamps so that the extreme left and right projections of the tractor are indicated by all of the following:

1. Flashing lamps displaying amber light, visible to the front and the rear. The lamps need not flash simultaneously and need not flash in conjunction with any directional signals of the tractor;

2. Amber reflectors, all visible to the front;

3. Red reflectors, all visible to the rear.

B. Rules adopted by the Ohio Director of Public Safety under Ohio R.C. 4513.111 governing the lamps and reflectors described in subsection (b)(3)A. of this section and their placement correlate with and, as far as possible, conform with paragraphs 4.1.4.1, 4.1.7.1 and 4.1.7.2 respectively of the American Society of Agricultural Engineers Standard ANSI/SAE S279.10 OCT98, Lighting and Marking of Agricultural Equipment on Highways.

(4) At the times specified in Ohio R.C. 4513.03, no person shall operate a unit of farm machinery model year 2002 or later on a street or highway unless it is equipped with and displays markings and illuminated lamps that meet or exceed the lighting, illumination and marking standards and specifications that are applicable to that type of farm machinery for the unit's model year specified in the American Society of Agricultural Engineers Standard ANSI/SAE S279.10 OCT 98, lighting and marking of agricultural equipment on highways.

(5) Any unit of farm machinery designed by its manufacturer to operate at a speed of twenty-five miles per hour or greater or any SMV may be equipped with and display a red flashing light that is visible from a distance of not less than 1,000 feet to the rear at all times specified in Ohio R.C. 4513.03. When a double-faced light is used, it shall display amber light to the front and red light to the rear.

(6) Lights and reflectors required under subsections (b)(3) and (b)(4) of this section and authorized under subsection (b)(5) of this section are in addition to other lights required or permitted by this subsection (b) or Ohio R.C. 4513.17.

(7) The Ohio Director of Public Safety shall adopt rules in accordance with Ohio R.C. Chapter 119 Code that establish standards and specifications for lamps and reflectors required or authorized by this section. Lamps and reflectors required or authorized by this section shall meet those standards and specifications.

(8) This subsection (b) does not apply to a bicycle, motorized bicycle, electric bicycle, or animal-drawn vehicle.

(9) Whoever violates this subsection (b) is guilty of a minor misdemeanor.

(ORC 4513.111)

(c) Slow-Moving Vehicles.

(1) Except as otherwise provided in this section, no person shall operate an SMV on a street or highway as follows:

A. At a speed exceeding twenty-five miles per hour;

B. Without displaying the triangular SMV emblem mounted in accordance with subsection (c)(2) of this section.

(2) The SMV emblem shall be mounted so as to be visible from a distance of not less than 500 feet to the rear. In accordance with Ohio R.C. Chapter 119, the Ohio Director of Public Safety shall adopt standards and specifications for the design and position of mounting the SMV emblem. The

standards and specifications for the SMV emblem correlate with and, so far as possible, conform with those approved by the American Society of Agricultural Engineers.

(3) A person may operate an SMV on a street or highway without displaying the triangular SMV emblem when any of the following apply:

A. The SMV is being used in actual construction and maintenance work in an area guarded by a flagperson, or where flares are used;

B. The SMV is operating or traveling within the limits of a construction area designated by the Ohio Director of Transportation, a city engineer, or the county engineer of the several counties, when such construction area is marked in accordance with requirements of the Ohio Director of Transportation and the Manual of Uniform Traffic Control Devices, as set forth in Ohio R.C. 4511.09.

(4) No person shall display an SMV emblem on any of the following:

A. Any vehicle not required to use the SMV emblem by this subsection (c) or Ohio R.C. 4513.113 or 4513.114;

B. An SMV being transported upon any other vehicle;

C. Any stationary object on the highway.

(5) No person shall sell, lease, rent or operate an SMV, except a unit designed to be completely mounted on a primary power unit that is manufactured or assembled on or after April 1, 1966, unless it is equipped with an SMV emblem mounting device.

(6) Whoever violates subsection (c) is guilty of a minor misdemeanor.

(ORC 4513.112)

(d) Farm Machinery and Agricultural Tractors.

(1) No person shall sell, lease, rent or operate on a street or highway any unit of farm machinery that is designed by its manufacturer to operate at a speed greater than twenty-five miles per hour unless the unit displays both of the following:

A. The SMV emblem mounted in accordance with Ohio R.C. 4513.112(B);

B. A speed identification symbol that does both of the following:

1. Meets the specifications contained in the American Society of Agricultural Engineers Standard ANSI/ASAE S584 JAN2005, Agricultural Equipment: Speed Identification Symbol (SIS);

2. Indicates the maximum speed in miles per hour at which the unit of farm machinery is designed by its manufacturer to operate;

(2) No person operating a tractor on a street or highway that is designed by its manufacturer to operate at a speed greater than twenty-five miles per hour and that is towing, pulling or otherwise drawing a unit of farm machinery while operating at a speed greater than twenty-five miles per hour shall fail to display both of the following on the unit of farm machinery;

A. The SMV emblem;

B. The speed identification symbol that matches the speed identification symbol required to be displayed on the agricultural tractor;

(3) No person shall operate an agricultural tractor that is designed by its manufacturer to operate at a speed greater than twenty-five miles per hour unless the person possesses documentation published or provided by the manufacturer indicating the maximum speed in miles per hour at which the manufacturer designed the agricultural tractor to operate;

(4) Whoever violates this subsection (d) is guilty of a minor misdemeanor.

(ORC 4513.113)

(e) Animal-Drawn Vehicles.

(1) Except as otherwise provided in subsection (e)(4) of this section, no person shall operate an animal-drawn vehicle on a street or highway unless it is equipped with and displays, at the

times specified in Ohio R.C. 4513.03, both of the following:

- A. At least one lamp displaying a white light visible from a distance of not less than 1,000 feet to the front of the animal-drawn vehicle;
- B. Two lamps displaying red light visible from a distance of not less than 1,000 feet to the rear of the animal-drawn vehicle, or as an alternative, one lamp displaying a red light visible from a distance of not less than 1,000 feet to the rear and two red reflectors visible from all distances of 600 feet to one hundred feet to the rear when illuminated by the lawful lower beams of headlamps.

(2) Except as otherwise provided in subsection (e)(4) of this section, no person shall operate an animal-drawn vehicle on a street or highway unless it is equipped with and displays, at all times, all of the following:

- A. One yellow flashing lamp displaying yellow light that is visible from a distance of not less than 1,000 feet and that is mounted in either of the following positions:
 - 1. On the top most portion of the rear of the animal-drawn vehicle;
 - 2. On the top of the animal-drawn vehicle;
- B. At least one of the following:
 - 1. An SMV emblem mounted in accordance with Ohio R.C. 4513.112(B);
 - 2. Micro-prism reflective tape that is visible from a distance of not less than 500 feet to the rear when illuminated by the lawful lower beams of headlamps;
 - 3. Both an SMV emblem and micro-prism reflective tape, as specified in this division.
- C. Lamps and micro-prism reflective tape required by this section shall meet standards and specifications adopted by the Ohio Director of Public Safety under Ohio R.C. 4513.114.

(3) The Ohio Director of Public Safety, in accordance with Ohio R.C. Chapter 119, shall adopt rules establishing standards and specifications for the position and mounting of the lamps and micro-prism reflective tape required by Ohio R.C. 4513.114. The rules permit the micro-prism reflective tape to be red, amber, white, or silver in color.

(4) A. Subsections (e)(1) and (e)(2) of this section do not apply to the operator of animal-drawn agricultural equipment who is not transporting any livestock or a person other than the operator.

B. No operator described in subsection (e)(4)A. of this section shall operate animal-drawn agricultural equipment unless it is equipped with and displays, at all times, the SMV emblem mounted in accordance with Ohio R.C. 4513.112(B).

C. As used in subsection (e)(4) of this section, "animal-drawn agricultural equipment" means equipment drawn by the muscular power of an animal that is used solely for agricultural purposes. "Animal-drawn agricultural equipment" includes any of the following:

- 1. A plow;
- 2. A manure spreader;
- 3. A thresher.

(5) Whoever violates this subsection (e) is guilty of a minor misdemeanor.

(ORC 4513.114)

(f) Strict Liability Offenses. The offenses established under this section are strict liability offenses, and Ohio R.C. 2901.20 does not apply. The designation of these offenses as strict liability offenses shall not be construed to imply that any other offense, for which there is no specified degree of culpability, is not a strict liability offense.

(ORC 4513.115)

337.11 SPOTLIGHT AND AUXILIARY LIGHTS.

- (a) Any motor vehicle may be equipped with not more than one spotlight and every lighted

spotlight shall be so aimed and used upon approaching another vehicle that no part of the high-intensity portion of the beam will be directed to the left of the prolongation of the extreme left side of the vehicle, nor more than 100 feet ahead of the vehicle.

(b) Any motor vehicle may be equipped with not more than three State approved auxiliary driving lights mounted on the front of the vehicle, which when used shall conform to State regulations.

(c) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.12)

337.12 COWL, FENDER AND BACK-UP LIGHTS.

(a) Any motor vehicle may be equipped with side cowl or fender lights or lights on each side thereof which shall emit a white or amber light without glare.

(b) Any motor vehicle may be equipped with back-up lights, either separately or in combination with another light. No back-up lights shall be continuously lighted when the motor vehicle is in forward motion.

(c) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.13)

337.13 DISPLAY OF LIGHTED LIGHTS.

(a) At all times mentioned in Section 337.02 at least two State approved lighted lights shall be displayed conforming to State regulations, one near each side of the front of every motor vehicle, except when such vehicle is parked subject to the regulations governing lights on parked vehicles.

(ORC 4513.14)

(b) However, on a motorcycle, there shall be displayed at least one and not more than two lighted lights as required herein.

(c) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.14)

337.14 USE OF HEADLIGHT BEAMS.

(a) Whenever a motor vehicle is being operated on a roadway or shoulder adjacent thereto during the times specified in Section 337.02, the driver shall use a distribution of light, or composite beam, directed high enough and of sufficient intensity to reveal persons, vehicles and substantial objects at a safe distance in advance of the vehicle, except that upon approaching an oncoming vehicle, the lights or beams shall be so aimed that the glaring rays are not projected into the eyes of the oncoming driver.

(b) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.15)

337.15 LIGHTS OF LESS INTENSITY ON SLOW-MOVING VEHICLES.

(a) Any motor vehicle may be operated under the conditions specified in Section 337.02 when it is equipped with two lighted lights upon the front thereof capable of revealing persons and substantial objects seventy-five feet ahead in lieu of lights required in Section 337.13, provided that such vehicle shall not be operated at a speed in excess of twenty miles per hour.

(b) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.16)

337.16 NUMBER OF LIGHTS; LIMITATIONS ON FLASHING, OSCILLATING OR ROTATING LIGHTS.

(a) Whenever a motor vehicle equipped with headlights also is equipped with any auxiliary lights or spotlight or any other light on the front thereof projecting a beam of an intensity greater than 300 candle power, not more than a total of five of any such lights on the front of a vehicle shall be lighted at any one time when the vehicle is upon a highway.

(b) Any lighted light or illuminating device upon a motor vehicle, other than headlights, spotlights, signal lights or auxiliary driving lights, that projects a beam of light of an intensity greater than 300 candle power, shall be so directed that no part of the beam will strike the level of the roadway on which the vehicle stands at a distance of more than seventy-five feet from the vehicle.

(c) (1) Flashing lights are prohibited on motor vehicles, except as a means for indicating a right or left turn, or in the presence of a vehicular traffic hazard requiring unusual care in approaching, or overtaking or passing.

(2) The prohibition in subsection (c)(1) of this section does not apply to any of the following:

A. Emergency vehicles, road service vehicles servicing or towing a disabled vehicle, stationary waste collection vehicles actively collecting garbage, refuse, trash or recyclable materials on the roadside, rural mail delivery vehicles, vehicles as provided in Ohio R.C. 4513.182, highway maintenance vehicles, and similar equipment operated by state or local authorities, provided such vehicles are equipped with and display, when used on a street or highway for the special purpose necessitating such lights, a flashing, oscillating or rotating amber light;

B. Vehicles or machinery permitted by Ohio R.C. 4513.111 to have a flashing red light;

C. Farm machinery and vehicles escorting farm machinery, provided such machinery and vehicles are equipped with and display, when used on a street or highway, a flashing, oscillating or rotating amber light. Farm machinery also may display the lights described in Ohio R.C. 4513.111.

D. A funeral hearse or funeral escort vehicle, provided that the funeral hearse or funeral escort vehicle is equipped with and displays, when used on a street or highway for the special purpose necessitating such lights, a flashing, oscillating or rotating purple or amber light;

E. A vehicle being used for emergency preparedness, response, and recovery activities, as those terms are defined in Ohio R.C. 5502.21, that is equipped with and displays, when used on a street or highway for the special purpose necessitating such lights, a flashing, oscillating, or rotating amber or red and white light, provided that the vehicle is being operated by a person from one of the following and the vehicle is clearly marked with the applicable agency's or authority's insignia:

1. The Ohio Emergency Management Agency;
2. A countywide emergency management agency established under Ohio R.C. 5502.26;
3. A regional authority for emergency management established under Ohio R.C. 5502.27;
4. A program for emergency management established under Ohio R.C. 5502.271.

(3) Subsection (c)(1) of this section does not apply to animal-drawn vehicles subject to Ohio R.C. 4513.114.

(d) (1) Except a person operating a public safety vehicle, as defined in Ohio R.C. 4511.01(E), an emergency management agency vehicle, as described in subsection (c)(2)E. of this section, or a school bus, no person shall operate, move, or park upon, or permit to stand within the right-of-way of any public street or highway any vehicle or equipment that is equipped with and displaying a flashing red or a flashing combination red and white light, or an oscillating or rotating red light, or a combination red and white oscillating or rotating light.

(2) Except a public law enforcement officer, or other person sworn to enforce the criminal and traffic laws of the state, operating a public safety vehicle when on duty, no person shall operate, move, or park upon, or permit to stand within the right-of-way of any street or highway any vehicle or equipment that is equipped with, or upon which is mounted, and displaying a flashing blue or a flashing combination blue and white light, or an oscillating or rotating blue light, or a combination blue and white oscillating or rotating light.

(e) This section does not prohibit the use of warning lights required by law or the simultaneous flashing of turn signals on disabled vehicles or on vehicles being operated in unfavorable atmospheric conditions in order to enhance their visibility. This section also does not prohibit the simultaneous flashing of turn signals or warning lights either on farm machinery or vehicles escorting farm machinery, when used on a street or highway.

(f) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.17)

337.17 FOCUS AND AIM OF HEADLIGHTS.

(a) No person shall use any lights mentioned in Section 337.02 to 337.16, inclusive, upon any motor vehicle, trailer or semitrailer unless the lights are equipped, mounted and adjusted as to focus and aim in accordance with State regulations.

(b) The headlights on any motor vehicle shall comply with the headlamp color requirements contained in federal motor vehicle safety standard number 108, 49 C.F.R. 571.108. No person shall operate a motor vehicle in violation of this subsection.

(c) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.19)

337.18 MOTOR VEHICLE AND MOTORCYCLE BRAKES.

(a) The following requirements govern as to brake equipment on vehicles:

(1) Every motor vehicle, other than a motorcycle, when operated upon a street or highway, shall be equipped with brakes adequate to control the movement of and to stop and hold such motor vehicle, including two separate means of applying the brakes, each of which means shall be effective to apply the brakes to at least two wheels. If these two separate means of applying the brakes are connected in any way, then on such motor vehicles manufactured or assembled after January 1, 1942, they shall be so constructed that failure of any one part of the operating mechanism shall not leave the motor vehicle without brakes on at least two wheels.

(2) Every motorcycle, when operated upon a street or highway, shall be equipped with at least one adequate brake, which may be operated by hand or by foot.

(3) Every motorized bicycle shall be equipped with brakes meeting the rules adopted by the Ohio Director of Public Safety under Ohio R.C. 4511.521.

(4) When operated upon the streets or highways of this Municipality, the following vehicles shall be equipped with brakes adequate to control the movement of and to stop and to hold the vehicle designed to be applied by the driver of the towing motor vehicle from its cab, and also designed and connected so that, in case of a breakaway of the towed vehicle, the brakes shall be automatically applied:

A. Except as otherwise provided in this section, every trailer or semitrailer, except a pole trailer, with an empty weight of two thousand pounds or more, manufactured or assembled on or after January 1, 1942;

B. Every manufactured home or travel trailer with an empty weight of two thousand pounds or more, manufactured or assembled on or after January 1, 2001.

(5) Every watercraft trailer with a gross weight or manufacturer's gross vehicle weight rating of three thousand pounds or more that is manufactured or assembled on or after January 1, 2008, shall have separate brakes equipped with hydraulic surge or electrically operated brakes on two wheels.

(6) In any combination of motor-drawn trailers or semitrailers equipped with brakes, means shall be provided for applying the rearmost brakes in approximate synchronism with the brakes on the towing vehicle, and developing the required braking effort on the rearmost wheels at the

fastest rate; or means shall be provided for applying braking effort first on the rearmost brakes; or both of the above means, capable of being used alternatively, may be employed.

(7) Every vehicle and combination of vehicles, except motorcycles and motorized bicycles, and except trailers and semitrailers of a gross weight of less than 2,000 pounds, and pole trailers, shall be equipped with parking brakes adequate to hold the vehicle on any grade on which it is operated, under all conditions of loading, on a surface free from snow, ice or loose material. The parking brakes shall be capable of being applied in conformance with the foregoing requirements by the driver's muscular effort or by spring action or by equivalent means. Their operation may be assisted by the service brakes or other sources of power provided that failure of the service brake actuation system or other power assisting mechanism will not prevent the parking brakes from being applied in conformance with the foregoing requirements. The parking brakes shall be so designed that when once applied they shall remain applied with the required effectiveness despite exhaustion of any source of energy or leakage of any kind.

(8) The same brake drums, brake shoes and lining assemblies, brake shoe anchors, and mechanical brake shoe actuation mechanism normally associated with the wheel brake assemblies may be used for both the service brakes and the parking brakes. If the means of applying the parking brakes and the service brakes are connected in any way, they shall be so constructed that failure of any one part shall not leave the vehicle without operative brakes.

(9) Every motor vehicle or combination of motor-drawn vehicles shall be capable at all times and under all conditions of loading of being stopped on a dry, smooth, level road free from loose material, upon application of the service or foot brake, within the following specified distances, or shall be capable of being decelerated at a sustained rate corresponding to these distances:

From a speed of 20 miles per hour

Stopping distance in feet

Deceleration in
feet per second
per second

Brakes on all wheels

30

14

Brakes not on all four wheels

40

10.7

(10) All brakes shall be maintained in good working order and shall be so adjusted as to operate as equally as practicable with respect to the wheels on opposite sides of the vehicle. (ORC 4513.20)

(b) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.99)

337.19 HORN, SIREN AND THEFT ALARM SIGNAL.

(a) Every motor vehicle when operated upon a street shall be equipped with a horn which is in good working order and capable of emitting sound audible, under normal conditions, from a distance of not less than 200 feet.

(b) No motor vehicle shall be equipped with, nor shall any person use upon a vehicle, any siren, whistle or bell. Any vehicle may be equipped with a theft alarm signal device which shall be so arranged that it cannot be used as an ordinary warning signal. Every emergency or public safety vehicle shall be equipped with a siren, whistle or bell capable of emitting sound audible under normal conditions from a distance of not less than 500 feet and of a type approved by the Ohio Director of Public Safety. Such equipment shall not be used except when such vehicle is operated in response to an emergency call or is in the immediate pursuit of an actual or suspected violator of the law, in which case the driver of the emergency or public safety vehicle shall sound such equipment when it is necessary to warn pedestrians and other drivers of the approach thereof.

(c) No person shall use the horn of a motor vehicle except to give warning to other drivers or pedestrians.

(d) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.21)

337.20 MUFFLER; MUFFLER CUTOUT; EXCESSIVE SMOKE, GAS OR NOISE.

(a) Every motor vehicle and motorcycle with an internal combustion engine shall at all times be equipped with a muffler which is in good working order and in constant operation to prevent excessive or unusual noise, and no person shall use a muffler cutout, by-pass or similar device upon a motor vehicle on a highway. Every motorcycle muffler shall be equipped with baffle plates.

(b) No person shall own, operate or have in the person's possession any motor vehicle or motorcycle equipped with a device for producing excessive smoke or gas, or so equipped as to permit oil or any other chemical to flow into or upon the exhaust pipe or muffler of such vehicle, or equipped in any other way to produce or emit smoke or dangerous or annoying gases from any portion of such vehicle, other than the ordinary gases emitted by the exhaust of an internal combustion engine under normal operation.

(c) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.22)

337.21 REAR-VIEW MIRROR; CLEAR VIEW TO FRONT, BOTH SIDES AND REAR.

(a) Every motor vehicle and motorcycle shall be equipped with a mirror so located as to reflect to the operator a view of the street to the rear of such vehicle or motorcycle. Operators of vehicles and motorcycles shall have a clear and unobstructed view to the front and to both sides of their vehicles or motorcycles and shall have a clear view to the rear of their vehicles or motorcycles by mirror.

(b) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.23)

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

(a) No person shall drive any motor vehicle on a street or highway, other than a motorcycle or motorized bicycle, that is not equipped with a windshield.

(b) (1) No person shall drive any motor vehicle, other than a bus, with any sign, poster or other nontransparent material upon the front windshield, sidewings, side or rear windows of such vehicle other than a certificate or other paper required to be displayed by law, except that there may be in the lower left-hand or right-hand corner of the windshield a sign, poster or decal not to exceed four inches in height by six inches in width. No sign, poster or decal shall be displayed in the front

windshield in such a manner as to conceal the vehicle identification number for the motor vehicle when in accordance with federal law, that number is located inside the vehicle passenger compartment and so placed as to be readable through the vehicle glazing without moving any part of the vehicle.

(2) Subsection (b)(1) of this section does not apply to a person who is driving a passenger car with an electronic device, including an antenna, electronic tolling or other transponder, camera, directional navigation device, or other similar electronic device located in the front windshield if either of the following apply to the device:

A. It is a “vehicle safety technology” as defined in 49 C.F.R. §393.5 and complies with 49 C.F.R. §393.60(e)(1)(ii).

B. It does not restrict the vehicle operator’s sight lines to the road and highway signs and signals, and it does not conceal the vehicle identification number.

(3) Subsection (b)(1) of this section does not apply to a person who is driving a commercial car with an electronic device, including an antenna, electronic tolling or other transponder, camera, directional navigation device, or other similar electronic device located in the front windshield if either of the following apply to the device:

A. It is a “vehicle safety technology” as defined in 49 C.F.R. §393.5 and complies with 49 C.F.R. §393.60(e)(1)(ii).

B. It does not restrict the vehicle operator’s sight lines to the road and highway signs and signals, and it is mounted not more than eight and one-half inches below the upper edge of the windshield.

(c) The windshield on every motor vehicle shall be equipped with a device for cleaning rain, snow or other moisture from the windshield. The device shall be maintained in good working order and so constructed as to be controlled or operated by the operator of the vehicle.

(d) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.24)

Disclaimer: This Code of Ordinances and/or any other documents that appear on this site may not reflect the most current legislation adopted by the Municipality. American Legal Publishing provides these documents for informational purposes only. These documents should not be relied upon as the definitive authority for local legislation. Additionally, the formatting and pagination of the posted documents varies from the formatting and pagination of the official copy. The official printed copy of a Code of Ordinances should be consulted prior to any action being taken.

For further information regarding the official version of any of this Code of Ordinances or other documents posted on this site, please contact the Municipality directly or contact American Legal Publishing toll-free at 800-445-5588.

Hosted by: American Legal Publishing

[Back to Code Library](#)

[Previous Doc](#)

[Next Doc](#)

0 items available

Detected legislative history

- Ordinances of Sheffield Lake, OH
- ORDINANCES OF THE CITY OF SHEFFIELD LAKE, OHIO
- ORDINANCE NO. 116-84
- ORDINANCES OF SHEFFIELD LAKE
- adopted by the Ohio Director of Public Safety under Ohio R
- ordinance with Ohio R
- ordinance with subsection (c)(2) of this section
- ordinance with requirements of the Ohio Director of Transportation and the Manual of Uniform Traffic Control Devices, as set forth in Ohio R
- order to enhance their visibility
- ordinance with State regulations
- effective to apply the brakes to at least two wheels
- effectiveness despite exhaustion of any source of energy or leakage of any kind
- order and shall be so adjusted as to operate as equally as practicable with respect to the wheels on opposite sides of the vehicle
- order and capable of emitting sound audible, under normal conditions, from a distance of not less than 200 feet
- ordinary warning signal
- order and in constant operation to prevent excessive or unusual noise, and no person shall use a muffler cutout, by-pass or similar device upon a motor vehicle on a highway
- ordinary gases emitted by the exhaust of an internal combustion engine under normal operation
- ordinance with federal law, that number is located inside the vehicle passenger compartment and so placed as to be readable through the vehicle glazing without moving any part of the ve
- order and so constructed as to be controlled or operated by the operator of the vehicle
- Ordinances and/or any other documents that appear on this site may not reflect the most current legislation adopted by the Municipality
- Ordinances should be consulted prior to any action being taken
- Ordinances or other documents posted on this site, please contact the Municipality directly or contact American Legal Publishing toll-free at 800-445-5588

Imported automatically by MunicipalWiki. The original publisher remains the authoritative source pending legal normalization and verification.

Revision #1

Created 2026-07-18 21:35:18 UTC by MunicipalWiki Indexer

Updated 2026-07-18 21:35:18 UTC by MunicipalWiki Indexer