

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

Document type	section
Identifier	337.22
Citation	§ 337.22
Ordinances detected	S, 116-84, ER, INARY, THAT, 69-76
Dates detected	January 1, 1942, January 1, 2001, January 1, 2008, January 1, 1967
Original source	American Legal Publishing
Content hash	79f8aa578717d4502ae9ebbbc10e3418caa23de5a45c1f7ab8946d615d407657

Sheffield Lake Overview

Codified Ordinances of Sheffield Lake, OH

CODIFIED ORDINANCES OF THE CITY OF SHEFFIELD LAKE, OHIO

CERTIFICATION

ROSTER OF OFFICIALS

ADOPTING ORDINANCE NO. 116-84

COMPARATIVE SECTION TABLE

TABLES OF SPECIAL ORDINANCES OF SHEFFIELD LAKE

CHARTER

PART ONE - ADMINISTRATIVE CODE

PART THREE - TRAFFIC CODE

TITLE ONE - Administration

TITLE THREE - Streets and Traffic Control Devices

TITLE FIVE - Vehicles

CHAPTER 331 Operation Generally

CHAPTER 333 OVI; Willful Misconduct; Speed

CHAPTER 335 Licensing; Accidents

CHAPTER 337 Safety and Equipment

337.01 DRIVING UNSAFE VEHICLES.

337.02 LIGHTED LIGHTS; MEASUREMENT OF DISTANCES AND HEIGHTS.

337.03 HEADLIGHTS ON MOTOR VEHICLES AND MOTORCYCLES.

337.04 TAIL LIGHT; ILLUMINATION OF REAR LICENSE PLATE.

337.05 REAR RED REFLECTORS.

337.06 SAFETY LIGHTING ON COMMERCIAL VEHICLES.

337.07 OBSCURED LIGHTS ON VEHICLES IN COMBINATION.

337.08 RED LIGHT OR RED FLAG ON EXTENDED LOADS.

337.09 LIGHTS ON PARKED OR STOPPED VEHICLES.

337.10 LIGHTS, EMBLEMS AND REFLECTORS ON SLOW-MOVING VEHICLES, FARM MACHINERY, AGRICULTURAL TRACTORS, AND ANIMAL-DRAWN VEHICLES.

337.11 SPOTLIGHT AND AUXILIARY LIGHTS.

337.12 COWL, FENDER AND BACK-UP LIGHTS.

337.13 DISPLAY OF LIGHTED LIGHTS.

337.14 USE OF HEADLIGHT BEAMS.

337.15 LIGHTS OF LESS INTENSITY ON SLOW-MOVING VEHICLES.

337.16 NUMBER OF LIGHTS; LIMITATIONS ON FLASHING, OSCILLATING OR ROTATING LIGHTS.

337.17 FOCUS AND AIM OF HEADLIGHTS.

337.18 MOTOR VEHICLE AND MOTORCYCLE BRAKES.

337.19 HORN, SIREN AND THEFT ALARM SIGNAL.

337.20 MUFFLER; MUFFLER CUTOUT; EXCESSIVE SMOKE, GAS OR NOISE.

337.21 REAR-VIEW MIRROR; CLEAR VIEW TO FRONT, BOTH SIDES AND REAR.

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

337.23 LIMITED LOAD EXTENSION ON LEFT SIDE OF PASSENGER VEHICLE.

337.24 MOTOR VEHICLE STOP LIGHTS.

337.25 AIR CLEANER REQUIRED.

337.26 CHILD RESTRAINT SYSTEM USAGE.

337.27 VEHICLES TRANSPORTING PRESCHOOL CHILDREN.

337.28 DRIVERS AND PASSENGERS REQUIRED TO WEAR SEAT BELTS.

337.29 USE OF SUNSCREENING, NONTRANSPARENT AND REFLECTORIZED MATERIALS.

337.30 BUMPER HEIGHTS.

337.31 DIRECTIONAL SIGNALS REQUIRED.

337.32 LIGHTS AND SIGN ON TRANSPORTATION FOR PRESCHOOL CHILDREN.

CHAPTER 339 Commercial and Heavy Vehicles

CHAPTER 341 Commercial Drivers

CHAPTER 343 Transportation of Hazardous Wastes

TITLE SEVEN - Parking

TITLE NINE - Pedestrians, Bicycles and Motorcycles

PART FIVE - GENERAL OFFENSES CODE

PART SEVEN - BUSINESS REGULATION CODE

PART NINE - STREETS, UTILITIES AND PUBLIC SERVICES CODE

PART ELEVEN - PLANNING AND ZONING CODE

PART THIRTEEN - BUILDING CODE

PART FIFTEEN - FIRE PREVENTION CODE

OH

Sheffield Lake

Codified Ordinances of Sheffield Lake, OH

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

CHAPTER 337 Safety and Equipment

337.18 MOTOR VEHICLE AND MOTORCYCLE BRAKES.

(a) The following requirements govern as to brake equipment on vehicles:

(1) Every motor vehicle, other than a motorcycle, when operated upon a street or highway, shall be equipped with brakes adequate to control the movement of and to stop and hold such motor vehicle, including two separate means of applying the brakes, each of which means shall be effective to apply the brakes to at least two wheels. If these two separate means of applying the brakes are connected in any way, then on such motor vehicles manufactured or assembled after January 1, 1942, they shall be so constructed that failure of any one part of the operating mechanism shall not leave the motor vehicle without brakes on at least two wheels.

(2) Every motorcycle, when operated upon a street or highway, shall be equipped with at least one adequate brake, which may be operated by hand or by foot.

(3) Every motorized bicycle shall be equipped with brakes meeting the rules adopted by the Ohio Director of Public Safety under Ohio R.C. 4511.521.

(4) When operated upon the streets or highways of this Municipality, the following vehicles shall be equipped with brakes adequate to control the movement of and to stop and to hold the vehicle designed to be applied by the driver of the towing motor vehicle from its cab, and also designed and connected so that, in case of a breakaway of the towed vehicle, the brakes shall be automatically applied:

A. Except as otherwise provided in this section, every trailer or semitrailer, except a pole trailer, with an empty weight of two thousand pounds or more, manufactured or assembled on or after January 1, 1942;

B. Every manufactured home or travel trailer with an empty weight of two thousand pounds or more, manufactured or assembled on or after January 1, 2001.

(5) Every watercraft trailer with a gross weight or manufacturer's gross vehicle weight rating of three thousand pounds or more that is manufactured or assembled on or after January 1, 2008,

shall have separate brakes equipped with hydraulic surge or electrically operated brakes on two wheels.

(6) In any combination of motor-drawn trailers or semitrailers equipped with brakes, means shall be provided for applying the rearmost brakes in approximate synchronism with the brakes on the towing vehicle, and developing the required braking effort on the rearmost wheels at the fastest rate; or means shall be provided for applying braking effort first on the rearmost brakes; or both of the above means, capable of being used alternatively, may be employed.

(7) Every vehicle and combination of vehicles, except motorcycles and motorized bicycles, and except trailers and semitrailers of a gross weight of less than 2,000 pounds, and pole trailers, shall be equipped with parking brakes adequate to hold the vehicle on any grade on which it is operated, under all conditions of loading, on a surface free from snow, ice or loose material. The parking brakes shall be capable of being applied in conformance with the foregoing requirements by the driver's muscular effort or by spring action or by equivalent means. Their operation may be assisted by the service brakes or other sources of power provided that failure of the service brake actuation system or other power assisting mechanism will not prevent the parking brakes from being applied in conformance with the foregoing requirements. The parking brakes shall be so designed that when once applied they shall remain applied with the required effectiveness despite exhaustion of any source of energy or leakage of any kind.

(8) The same brake drums, brake shoes and lining assemblies, brake shoe anchors, and mechanical brake shoe actuation mechanism normally associated with the wheel brake assemblies may be used for both the service brakes and the parking brakes. If the means of applying the parking brakes and the service brakes are connected in any way, they shall be so constructed that failure of any one part shall not leave the vehicle without operative brakes.

(9) Every motor vehicle or combination of motor-drawn vehicles shall be capable at all times and under all conditions of loading of being stopped on a dry, smooth, level road free from loose material, upon application of the service or foot brake, within the following specified distances, or shall be capable of being decelerated at a sustained rate corresponding to these distances:

From a speed of 20 miles per hour

Stopping distance in feet

Deceleration in
feet per second
per second

Brakes on all wheels

30

14

Brakes not on all four wheels

40

10.7

(10) All brakes shall be maintained in good working order and shall be so adjusted as to operate as equally as practicable with respect to the wheels on opposite sides of the vehicle. (ORC 4513.20)

(b) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.99)

337.19 HORN, SIREN AND THEFT ALARM SIGNAL.

(a) Every motor vehicle when operated upon a street shall be equipped with a horn which is in good working order and capable of emitting sound audible, under normal conditions, from a distance of not less than 200 feet.

(b) No motor vehicle shall be equipped with, nor shall any person use upon a vehicle, any siren, whistle or bell. Any vehicle may be equipped with a theft alarm signal device which shall be so arranged that it cannot be used as an ordinary warning signal. Every emergency or public safety vehicle shall be equipped with a siren, whistle or bell capable of emitting sound audible under normal conditions from a distance of not less than 500 feet and of a type approved by the Ohio Director of Public Safety. Such equipment shall not be used except when such vehicle is operated in response to an emergency call or is in the immediate pursuit of an actual or suspected violator of the law, in which case the driver of the emergency or public safety vehicle shall sound such equipment when it is necessary to warn pedestrians and other drivers of the approach thereof.

(c) No person shall use the horn of a motor vehicle except to give warning to other drivers or pedestrians.

(d) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.21)

337.20 MUFFLER; MUFFLER CUTOUT; EXCESSIVE SMOKE, GAS OR NOISE.

(a) Every motor vehicle and motorcycle with an internal combustion engine shall at all times be equipped with a muffler which is in good working order and in constant operation to prevent excessive or unusual noise, and no person shall use a muffler cutout, by-pass or similar device upon a motor vehicle on a highway. Every motorcycle muffler shall be equipped with baffle plates.

(b) No person shall own, operate or have in the person's possession any motor vehicle or motorcycle equipped with a device for producing excessive smoke or gas, or so equipped as to permit oil or any other chemical to flow into or upon the exhaust pipe or muffler of such vehicle, or equipped in any other way to produce or emit smoke or dangerous or annoying gases from any portion of such vehicle, other than the ordinary gases emitted by the exhaust of an internal combustion engine under normal operation.

(c) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.22)

337.21 REAR-VIEW MIRROR; CLEAR VIEW TO FRONT, BOTH SIDES AND REAR.

(a) Every motor vehicle and motorcycle shall be equipped with a mirror so located as to reflect to the operator a view of the street to the rear of such vehicle or motorcycle. Operators of vehicles and motorcycles shall have a clear and unobstructed view to the front and to both sides of their vehicles or motorcycles and shall have a clear view to the rear of their vehicles or motorcycles by mirror.

(b) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.23)

337.22 WINDSHIELD AND WINDSHIELD WIPER; SIGN OR POSTER THEREON.

(a) No person shall drive any motor vehicle on a street or highway, other than a motorcycle or

motorized bicycle, that is not equipped with a windshield.

(b) (1) No person shall drive any motor vehicle, other than a bus, with any sign, poster or other nontransparent material upon the front windshield, sidewings, side or rear windows of such vehicle other than a certificate or other paper required to be displayed by law, except that there may be in the lower left-hand or right-hand corner of the windshield a sign, poster or decal not to exceed four inches in height by six inches in width. No sign, poster or decal shall be displayed in the front windshield in such a manner as to conceal the vehicle identification number for the motor vehicle when in accordance with federal law, that number is located inside the vehicle passenger compartment and so placed as to be readable through the vehicle glazing without moving any part of the vehicle.

(2) Subsection (b)(1) of this section does not apply to a person who is driving a passenger car with an electronic device, including an antenna, electronic tolling or other transponder, camera, directional navigation device, or other similar electronic device located in the front windshield if either of the following apply to the device:

A. It is a "vehicle safety technology" as defined in 49 C.F.R. §393.5 and complies with 49 C.F.R. §393.60(e)(1)(ii).

B. It does not restrict the vehicle operator's sight lines to the road and highway signs and signals, and it does not conceal the vehicle identification number.

(3) Subsection (b)(1) of this section does not apply to a person who is driving a commercial car with an electronic device, including an antenna, electronic tolling or other transponder, camera, directional navigation device, or other similar electronic device located in the front windshield if either of the following apply to the device:

A. It is a "vehicle safety technology" as defined in 49 C.F.R. §393.5 and complies with 49 C.F.R. §393.60(e)(1)(ii).

B. It does not restrict the vehicle operator's sight lines to the road and highway signs and signals, and it is mounted not more than eight and one-half inches below the upper edge of the windshield.

(c) The windshield on every motor vehicle shall be equipped with a device for cleaning rain, snow or other moisture from the windshield. The device shall be maintained in good working order and so constructed as to be controlled or operated by the operator of the vehicle.

(d) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.24)

337.23 LIMITED LOAD EXTENSION ON LEFT SIDE OF PASSENGER VEHICLE.

(a) No passenger-type vehicle shall be operated on a street with any load carried on such vehicle which extends more than six inches beyond the line of the fenders on the vehicle's left side.
(ORC 4513.30)

(b) Whoever violates this section is guilty of a minor misdemeanor.
(ORC 4513.99)

337.24 MOTOR VEHICLE STOP LIGHTS.

(a) (1) Every motor vehicle, trailer, semitrailer, and pole trailer when operated upon a street or highway shall be equipped with two or more stop lights, except that passenger cars manufactured or assembled prior to January 1, 1967, motorcycles, and motor-driven cycles shall be equipped with at least one stop light. Stop lights shall be mounted on the rear of the vehicle, actuated upon application of the service brake, and may be incorporated with other rear lights. Such stop lights when actuated shall emit a red light visible from a distance of five hundred feet to the rear, provided that in the case of a train of vehicles only the stop lights on the rear-most vehicle need be

visible from the distance specified.

(2) Such stop lights when actuated shall give a steady warning light to the rear of a vehicle or train of vehicles to indicate the intention of the operator to diminish the speed of or stop a vehicle or train of vehicles.

(3) When stop lights are used as required by this section, they shall be constructed or installed so as to provide adequate and reliable illumination and shall conform to the appropriate rules and regulations established under Ohio R.C. 4513.19.

(4) A historical motor vehicle that was not originally manufactured with stop lights or a replica motor vehicle that replicates a motor vehicle that was not originally manufactured with stop lights is not subject to this section.

(b) Whoever violates this section is guilty of a minor misdemeanor.

(ORC 4513.071)

337.25 AIR CLEANER REQUIRED.

(a) No person shall operate a motor vehicle with an internal combustion engine unless the carburetion system of the vehicle is protected with an air filter, a flame arresting device, or any other accepted method of protection that is adequate for this purpose. If the original device or system is replaced, it shall be replaced with one that is equal to or better than the original equipment.

(b) This section does not apply to a person doing automotive repair work on a motor vehicle that necessitates this device being removed while the work is performed.

(c) Whoever violates this section is guilty of a minor misdemeanor on a first offense; on a second offense within one year after the first offense, the person is guilty of a misdemeanor of the fourth degree; on each subsequent offense within one year after the first offense, the person is guilty of a misdemeanor of the third degree.

337.26 CHILD RESTRAINT SYSTEM USAGE.

(a) When any child who is in either or both of the following categories is being transported in a motor vehicle, other than a taxicab or public safety vehicle as defined in Ohio R.C. 4511.01, that is required by the United States Department of Transportation to be equipped with seat belts at the time of manufacture or assembly, the operator of the motor vehicle shall have the child properly secured in accordance with the manufacturer's instructions in a child restraint system that meets federal motor safety standards:

(1) A child who is less than four years of age;

(2) A child who weighs less than forty pounds.

(b) When any child who is in either or both of the following categories is being transported in a motor vehicle, other than a taxicab, that is owned, leased or otherwise under the control of a nursery school, or child care center, the operator of the motor vehicle shall have the child properly secured in accordance with the manufacturer's instructions in a child restraint system that meets federal motor vehicle safety standards:

(1) A child who is less than four years of age;

(2) A child who weighs less than forty pounds.

(c) When any child who is less than eight years of age and less than four feet nine inches in height, who is not required by subsection (a) or (b) of this section to be secured in a child restraint system, is being transported in a motor vehicle, other than a taxicab or public safety vehicle as defined in Ohio R.C. 4511.01 or a vehicle that is regulated under Ohio R.C. 5104.011, that is required by the United States Department of Transportation to be equipped with seat belts at the time of manufacture or assembly, the operator of the motor vehicle shall have the child properly

secured in accordance with the manufacturer's instructions on a booster seat that meets federal motor vehicle safety standards.

(d) When any child who is at least eight years of age but not older than fifteen years of age and who is not otherwise required by subsection (a), (b) or (c) hereof to be secured in a child restraint system or booster seat, is being transported in a motor vehicle, other than a taxicab or public safety vehicle as defined in Ohio R.C. 4511.01, that is required by the United States Department of Transportation to be equipped with seat belts at the time of manufacture or assembly, the operator of the motor vehicle shall have the child properly restrained either in accordance with the manufacturer's instructions in a child restraint system that meets federal motor vehicle safety standards or in an occupant restraining device as defined in Ohio R.C. 4513.263.

(e) Notwithstanding any provision of law to the contrary, no law enforcement officer shall cause an operator of a motor vehicle being operated on any street or highway to stop the motor vehicle for the sole purpose of determining whether a violation of subsection (c) or (d) of this section has been or is being committed or for the sole purpose of issuing a ticket, citation, or summons for a violation of subsection (c) or (d) of this section or causing the arrest of or commencing a prosecution of a person for a violation of subsection (c) or (d) of this section, and absent another violation of law, a law enforcement officer's view of the interior or visual inspection of a motor vehicle being operated on any street or highway may not be used for the purpose of determining whether a violation of subsection (c) or (d) of this section has been or is being committed.

(f) The Ohio Director of Public Safety shall adopt such rules as are necessary to carry out this section.

(g) The failure of an operator of a motor vehicle to secure a child in a child restraint system, a booster seat or an occupant restraining device as required by this section is not negligence imputable to the child, is not admissible as evidence in any civil action involving the rights of the child against any other person allegedly liable for injuries to the child, is not to be used as a basis for a criminal prosecution of the operator of the motor vehicle other than a prosecution for a violation of this section, and is not admissible as evidence in any criminal action involving the operator of the motor vehicle other than a prosecution for a violation of this section.

(h) This section does not apply when an emergency exists that threatens the life of any person operating or occupying a motor vehicle that is being used to transport a child who otherwise would be required to be restrained under this section. This section does not apply to a person operating a motor vehicle who has an affidavit signed by a physician licensed to practice in this State under Ohio R.C. Chapter 4731 a clinical nurse specialist or certified nurse practitioner licensed to practice in this State under Ohio R.C. Chapter 4723, or a chiropractor licensed to practice in this State under Ohio R.C. Chapter 4734 that states that the child who otherwise would be required to be restrained under this section has a physical impairment that makes use of a child restraint system, booster seat or an occupant restraining device impossible or impractical, provided that the person operating the vehicle has safely and appropriately restrained the child in accordance with any recommendations of the physician, nurse or chiropractor as noted on the affidavit.

(i) Nothing in this section shall be construed to require any person to carry with the person the birth certificate of a child to prove the age of the child, but the production of a valid birth certificate for a child showing that the child was not of an age to which this section applies is a defense against any ticket, citation or summons issued for violating this section.

(j) Whoever violates subsection (a), (b), (c) or (d) of this section shall be punished as follows, provided that the failure of an operator of a motor vehicle to secure more than one child in a child restraint system, booster seat, or occupant restraining device as required by this section that

occurred at the same time, on the same day, and at the same location is deemed to be a single violation of this section:

(1) Except as otherwise provided in subsection (j)(2) of this section, the offender is guilty of a minor misdemeanor and shall be fined not less than twenty-five dollars (\$25.00) nor more than seventy-five dollars (\$75.00).

(2) If the offender previously has been convicted of or pleaded guilty to a violation of subsection (a), (b), (c) or (d) of this section or of a state law or municipal ordinance that is substantially similar to any of those subsections, the offender is guilty of a misdemeanor of the fourth degree.

(ORC 4511.81)

337.27 VEHICLES TRANSPORTING PRESCHOOL CHILDREN.

(a) No person shall operate any motor vehicle owned, leased or hired by a nursery school, kindergarten or day-care center, while transporting preschool children to and from such an institution, unless the motor vehicle is equipped with and displaying two amber flashing lights mounted on a bar attached to the top of the vehicle, and a sign bearing the designation "Caution-Children", which shall be attached to the bar carrying the amber flashing lights in such a manner as to be legible to persons both in front of and behind the vehicle. The lights and sign shall meet standards and specifications adopted by the Ohio Director of Highway Safety pursuant to Ohio R.C. 4513.182.

(b) No person shall operate a motor vehicle displaying the lights and sign required by this section for any purpose other than the transportation of preschool children as provided in this section. (Ord. 69-76. Passed 8-24-76.)

(c) Whoever violates this section is guilty of a minor misdemeanor on a first offense; on a second offense within one year after the first offense, the person is guilty of a misdemeanor of the fourth degree; on each subsequent offense within one year after the first offense, the person is guilty of a misdemeanor of the third degree.

337.28 DRIVERS AND PASSENGERS REQUIRED TO WEAR SEAT BELTS.

(a) As used in this section:

(1) "Automobile" means any commercial tractor, passenger car, commercial car or truck that is required to be factory-equipped with an occupant restraining device for the operator or any passenger by regulations adopted by the United States Secretary of Transportation pursuant to the "National Traffic and Motor Vehicle Safety Act of 1966," 80 Stat. 719, 15 U.S.C.A. 1392.

(2) "Occupant restraining device" means a seat safety belt, shoulder belt, harness or other safety device for restraining a person who is an operator of or passenger in an automobile and that satisfies the minimum Federal vehicle safety standards established by the United States Department of Transportation.

(3) "Passenger" means any person in an automobile, other than its operator, who is occupying a seating position for which an occupant restraining device is provided.

(4) "Commercial tractor," "passenger car," and "commercial car" have the same meanings as provided in Ohio R.C. 4501.01.

(5) "Vehicle" and "motor vehicle", as used in the definitions of the terms set forth in subsection (a)(4) hereof, have the same meanings as provided in Chapter 301.

(6) "Tort action" means a civil action for damages for injury, death, or loss to person or property. "Tort action" includes a product liability claim, as defined in Ohio R.C. 2307.71 and an asbestos claim, as defined in Ohio R.C. 2307.91, but does not include a civil action for damages for breach of contract or another agreement between persons.

(b) No person shall do either of the following:

(1) Operate an automobile on any street or highway unless that person is wearing all of the available elements of a properly adjusted occupant restraining device, or operate a school bus that has an occupant restraining device installed for use in its operator's seat unless that person is wearing all of the available elements of the device, as properly adjusted;

(2) Operate an automobile on any street or highway unless each passenger in the automobile who is subject to the requirement set forth in subsection (b)(3) hereof is wearing all of the available elements of a properly adjusted occupant restraining device;

(3) Occupy, as a passenger, a seating position on the front seat of an automobile being operated on any street or highway unless that person is wearing all of the available elements of a properly adjusted occupant restraining device;

(4) Operate a taxicab on any street or highway unless all factory-equipped occupant restraining devices in the taxicab are maintained in usable form.

(c) (1) Subsection (b)(3) hereof does not apply to a person who is required by Section 337.26 to be secured in a child restraint device or booster seat.

(2) Subsection (b)(1) hereof does not apply to a person who is an employee of the United States Postal Service or of a newspaper home delivery service, during any period in which the person is engaged in the operation of an automobile to deliver mail or newspapers to addressees.

(3) Subsections (b)(1) and (3) hereof do not apply to a person who has an affidavit signed by a physician licensed to practice in this State under Ohio R.C. Chapter 4731 or a chiropractor licensed to practice in this State under Ohio R.C. Chapter 4734 that states the following:

A. That the person has a physical impairment that makes use of an occupant restraining device impossible or impractical;

B. Whether the physical impairment is temporary, permanent or reasonably expected to be permanent;

C. If the physical impairment is temporary, how long the physical impairment is expected to make the use of an occupant restraining device impossible or impractical.

(4) Subsections (b)(1) and (3) of this section do not apply to a person who has registered with the Registrar of Motor Vehicles in accordance with subsection (c)(5) of this section.

(5) A person who has received an affidavit under subsection (c)(3) of this section stating that the person has a permanent or reasonably expected to be permanent physical impairment that makes use of an occupant restraining device impossible or impracticable may register with the Registrar attesting to that fact. Upon such registration, the Registrar shall make that information available in the law enforcement automated data system. A person included in the database under subsection (c)(5) of this section is not required to have the affidavit obtained in accordance with subsection (c)(3) of this section in their possession while operating or occupying an automobile.

(6) A physician or chiropractor who issues an affidavit for the purposes of subsection (c)(3) or (4) of this section is immune from civil liability arising from any injury or death sustained by the person who was issued the affidavit due to the failure of the person to wear an occupant restraining device unless the physician or chiropractor, in issuing the affidavit, acted in a manner that constituted willful, wanton or reckless misconduct.

(7) The Registrar shall adopt rules in accordance with Ohio R.C. Chapter 119, establishing a process for a person to be included in the database under subsection (c)(5) of this section. The information provided and included in the database under subsection (c)(5) of this section is not a public record subject to inspection or copying under Ohio R.C. 149.43.

(d) Notwithstanding any provision of law to the contrary, no law enforcement officer shall cause

an operator of an automobile being operated on any street or highway to stop the automobile for the sole purpose of determining whether a violation of subsection (b) hereof has been or is being committed or for the sole purpose of issuing a ticket, citation or summons for a violation of that nature or causing the arrest of or commencing a prosecution of a person for a violation of that nature, and no law enforcement officer shall view the interior or visually inspect any automobile being operated on any street or highway for the sole purpose of determining whether a violation of that nature has been or is being committed.

(e) All fines collected for violations of subsection (b) hereof shall be forwarded to the Treasurer of State for deposit as provided in Ohio R.C. 4513.263.

(f) (1) Subject to subsection (f)(2) of this section, the failure of a person to wear all of the available elements of a properly adjusted occupant restraining device in violation of subsection (b)(1) or (3) or the failure of a person to ensure that each minor who is a passenger of an automobile being operated by that person is wearing all of the available elements of a properly adjusted occupant restraining device, in violation of subsection (b)(2) of this section, shall not be considered or used by the trier of fact in a tort action as evidence of negligence or contributory negligence. But the trier of fact may determine based on evidence admitted consistent with the Ohio rules of evidence that the failure contributed to the harm alleged in the tort action and may diminish a recovery of compensatory damages that represents noneconomic loss, as defined in Ohio R.C. 2307.011 in a tort action that could have been recovered but for the plaintiff's failure to wear all of the available elements of a properly adjusted occupant restraining device.

Evidence of that failure shall not be used as a basis for a criminal prosecution of the person other than a prosecution for a violation of this section; and shall not be admissible as evidence in a criminal action involving the person other than a prosecution for a violation of this section.

(2) If, at the time of an accident involving a passenger car equipped with occupant restraining devices, any occupant of the passenger car who sustained injury or death was not wearing an available occupant restraining device, was not wearing all of the available elements of such a device, or was not wearing such a device as properly adjusted, then, consistent with the Rules of Evidence, the fact that the occupant was not wearing the available occupant restraining device, was not wearing all of the available elements of such a device, or was not wearing such a device as properly adjusted is admissible in evidence in relation to any claim for relief in a tort action to the extent that the claim for relief satisfies all of the following:

A. It seeks to recover damages for injury or death to the occupant.

B. The defendant in question is the manufacturer, designer, distributor or seller of the passenger car.

C. The claim for relief against the defendant in question is that the injury or death sustained by the occupant was enhanced or aggravated by some design defect in the passenger car or that the passenger car was not crashworthy.

(g) (1) Whoever violates subsection (b)(1) of this section shall be fined thirty dollars (\$30.00).

(2) Whoever violates subsection (b)(3) of this section shall be fined twenty dollars (\$20.00).

(3) Except as otherwise provided in this subsection, whoever violates subsection (b)(4) of this section is guilty of a minor misdemeanor. If the offender previously has been convicted of or pleaded guilty to a violation of subsection (b)(4) of this section, whoever violates subsection (b)(4) of this section is guilty of a misdemeanor of the third degree. (ORC 4513.263)

Disclaimer: This Code of Ordinances and/or any other documents that appear on this site may not reflect the most current legislation adopted by the Municipality. American Legal Publishing provides

these documents for informational purposes only. These documents should not be relied upon as the definitive authority for local legislation. Additionally, the formatting and pagination of the posted documents varies from the formatting and pagination of the official copy. The official printed copy of a Code of Ordinances should be consulted prior to any action being taken.

For further information regarding the official version of any of this Code of Ordinances or other documents posted on this site, please contact the Municipality directly or contact American Legal Publishing toll-free at 800-445-5588.

Hosted by: American Legal Publishing

[Back to Code Library](#)

[Previous Doc](#)

[Next Doc](#)

0 items available

Detected legislative history

- Ordinances of Sheffield Lake, OH
- ORDINANCES OF THE CITY OF SHEFFIELD LAKE, OHIO
- ORDINANCE NO. 116-84
- ORDINANCES OF SHEFFIELD LAKE
- effective to apply the brakes to at least two wheels
- adopted by the Ohio Director of Public Safety under Ohio R
- effectiveness despite exhaustion of any source of energy or leakage of any kind
- order and shall be so adjusted as to operate as equally as practicable with respect to the wheels on opposite sides of the vehicle
- order and capable of emitting sound audible, under normal conditions, from a distance of not less than 200 feet
- ordinary warning signal
- order and in constant operation to prevent excessive or unusual noise, and no person shall use a muffler cutout, by-pass or similar device upon a motor vehicle on a highway
- ordinary gases emitted by the exhaust of an internal combustion engine under normal operation
- ordinance with federal law, that number is located inside the vehicle passenger compartment and so placed as to be readable through the vehicle glazing without moving any part of the ve
- order and so constructed as to be controlled or operated by the operator of the vehicle
- ordinance with the manufacturer's instructions in a child restraint system that meets federal motor safety standards:
- ordinance with the manufacturer's instructions in a child restraint system that meets federal motor vehicle safety standards:

- ordinance with the manufacturer's instructions on a booster seat that meets federal motor vehicle safety standards
- ordinance with the manufacturer's instructions in a child restraint system that meets federal motor vehicle safety standards or in an occupant restraining device as defined in Ohio R
- ordinance with any recommendations of the physician, nurse or chiropractor as noted on the affidavit
- ordinance that is substantially similar to any of those subsections, the offender is guilty of a misdemeanor of the fourth degree
- adopted by the Ohio Director of Highway Safety pursuant to Ohio R
- Ord. 69-76
- adopted by the United States Secretary of Transportation pursuant to the "National Traffic and Motor Vehicle Safety Act of 1966," 80 Stat
- ordinance with subsection (c)(5) of this section
- ordinance with subsection (c)(3) of this section in their possession while operating or occupying an automobile
- ordinance with Ohio R
- ord subject to inspection or copying under Ohio R
- Ordinances and/or any other documents that appear on this site may not reflect the most current legislation adopted by the Municipality
- Ordinances should be consulted prior to any action being taken
- Ordinances or other documents posted on this site, please contact the Municipality directly or contact American Legal Publishing toll-free at 800-445-5588

Imported automatically by MunicipalWiki. The original publisher remains the authoritative source pending legal normalization and verification.

Revision #1

Created 2026-07-18 21:35:22 UTC by MunicipalWiki Indexer

Updated 2026-07-18 21:35:22 UTC by MunicipalWiki Indexer